

Onity
'innovative thinking'

TESA Entry Systems



The Onity hospitality solutions range is expanding with the incorporation of a series of user-friendly and silent minibars.



Adjustable door shelves



Integrated door opening holder



Reversible reinforced door hinges



Interior light



Glass door (optional)



Lock (optional)



Wheels (optional)



Door open detector (optional)

Onity Quality and Service

Onity minibars are backed by the leading provider of solutions for the hospitality market, with products in more than 3 million rooms and 20.000 hotels around the world.

Flexibility

- Reversible door
- 2 sliding shelves (5 or 8 possible positions depending on the model)
- 2 adjustable racks for bottles and snacks

Economical

- Low energy consumption
- Automatic defrosting
- Thermal isolation through cyclopentane

Silent Running

The absorption technology cooling system ensures totally silent operation.

Options

- Glass door
- Lock
- Wheels
- Door open detector



Minibars

Essential equipment for a hotel room

TECHNICAL SPECIFICATIONS (dimensions in mm)

MODEL	ON30L	ON40L	ON52L	ON60L
Volume	30 Lt.	40 Lt.	52 Lt.	60 Lt.
External Dimensions (HxWxD)	509x413x435	564x435x465	609x435x465	564x470x525
Internal Dimensions (HxWxD)	421x355x211	468x351x246	526x352x245	469x395x309
Nominal Power	60 Wat	60 Wat	60 Wat	60 Wat
Power Supply	220V/50Hz	220V/50Hz	220V/50Hz	220V/50Hz
Energy Consumption	1,00 kwh/24h	1,10 kwh/24h	1,21 kwh/24h	1,24 kwh/24h
Weight	15 Kg	15,5 Kg	16 Kg	17 Kg
Thermostat Type	Electronic	Electronic	Electronic	Electronic
Interior Light	Yes	Yes	Yes	Yes
Glass door				
Lock				
Wheels				
Door open detector				

OPTIONAL





Minibars have the advantage of generating incremental revenue for the hotel whilst providing a service to the guest.

The importance of ventilation:

Minibars can be easily integrated into any type of furniture, as long as the appropriate ventilation space is allowed.

A minimum space of 400cm² is recommended to enable air circulation around the cooling unit.



Quality and Environmental Certificates


Manufactured under ISO standards, Onity Solution minibars comply with the highest quality and environmental requirements, including TÜV, CE, ETL and 2037/2000 regulations.

CF, HCFC, HFC and PFC free, the elements the minbar uses for cooling are all 100% environmentally friendly.



Onity

A UTC Fire & Security Company



Technological Solutions for the Hospitality Industry

The Onity User

Onity solutions are designed to offer higher security and comfort for the user, as well as to optimise the daily management of the property.

Worldwide Headquarters

Atlanta GA , USA

Tel. +1 770 935 4228

+1 800 424 1433

moreinfo@onity.biz

Asia / Pacific

Tel. +61 293 160900

ASPACE@onity.biz

Europe / Middle East / Africa

Tel. +34 943 448 300

EMEA@onity.biz

Latin America

Tel. +52 55 5250 1557

LAM@onity.biz

North America

Tel. +1 770 935 4228

+1 800 424 1433

NORAM@onity.biz

The Onity Market

Onity, the leading global provider of electronic locking systems, offers innovative technological solutions and services for the Hospitality industry, as well as Corporate, Education, Government and Marine markets.

The Onity World

With over 20 years of industry experience, Onity offers guaranteed quality and service. Onity has agreements with more than 200 hotel chains around the world. Thanks to an extensive network that spans more than 115 countries, Onity locks can be found in over 3 million rooms of more than 20.000 hotels worldwide, as well as in hospitals, universities, corporate buildings etc.